Developmental Medicine and Child Neurology

Volume 36 1994

INDEX

Authors and subjects of articles in the body of the journal are indexed together. Editorials and Annotations are listed both separately and within the general index, and are denoted by '(E)' and '(A)', respectively. Letters to the Editor are listed under subject and author in the general index, and denoted by '(L)' at the end of the entry; Abstracts are listed by subject and are denoted by '(abstr.)'. Book reviews are listed separately only. Co-authors of all articles are cross-referenced to the first author.

KEY TO ISSUES AND PAGES

Issue	Pages	Issue	Pages
No. 1	1-94	No. 7	565-658
No. 2	95-188	No. 8	659-752
No. 3	189-282	No. 9	753-846
No. 4	283-376	No. 10	847-940
No. 5	377-470	No. 11	941-1034
No. 6	471-564	No. 12	1035-1128

AARIMAA T SEE HOLOPAINEN I

ACCARDO, P. and CAPUTE, A.: Paediatric neurology, changing role of, 843(L)

Accessing the world, 753(E)

Actigraphic home-monitoring, sleep patterns, IVF children and matched controls, 639

ADAMS, C. see SESHIA, S. S.

ADAMS, R. J. see COURAGE, M. L.

Adenovirus mediated expression of therapeutic plasma levels, human factor IX in mice, 656(abstr.)

ADHD, and methylphenidate, age, IQ and neurodevelopmental status, 1099

Affective communication, Möbius syndrome, 459

Affective disorder, and autism, 674

AHLSÉN, G. see GILLBERG, I. C.

ÅKERSTROM, B. see STRÖMLAND, K.

AKKERMANS, L. M. A. see BENNINGA, M. A.

Ambulation, behavioural intervention for reluctance, 625

American Academy for Cerebral Palsy and Developmental Medicine, Report of the Annual Meeting, 277

Amiel Tison, C. et al.: The effects of maternal epidural anaesthesia on neonatal behaviour during the first month, 91(L)

Anaesthesia, maternal epidural, effects on neonatal behaviour, 91(L), 375(L)

ANNOTATIONS

Audit

neonatal intensive care, demographic factors, 1120

research and, 1124

Behavioural phenotypes, 467

Breech presentation, 833

Electrical status in childhood, 183

Environmental basis of the Down syndrome

phenotype

From research to audit, 1124

Hypermelanosis of Ito, 271

Ophthalmoplegia in childhood, 370

Placental hormones, loss of, contribution to neurodevelopmental disabilities in preterm infants, 743

Septum pellucidum, anomalies and deficits, 554

Spina bifida, 1021

Vomiting, recurrent, of neurological origin, 463

Anorexia nervosa, physical health and neurodevelopment 2: 16 and 21 years, 567

Apnoea, respiratory insufficiency, congenital peripheral neuropathy, 547

APPLETON, P. L. et al.: Self-concept of young people with spina bifida: a populationbased study, 198

APPLETON, R. et al.: Congenital peripheral neuropathy presenting as apnoea in respiratory insufficiency, 547 see also Jan, J. E.

ARMANTROUT, E. A. see McLaughlin, J. F.

ARONSSON, D. D. et al.: Comparison of curve shape between children with cerebral palsy, Friedreich's ataxia, and adolescent idiopathic scoliosis, 412

ARVIDSSON, J. see CARLSSON, G.

Asperger syndrome, prosopagnosia and, 873

Asphyxia see Birth asphyxia

ASTLEY, S. J. see McLaughlin, J. F.

Ataxia

15q11-13 duplication, 736

hearing loss and retinitis pigmentosa, variant form of hypobetalipoproteinaemia associated with, 1015

Attention deficits, and autism, tuberous sclerosis, 50

Audit

neonatal intensive care: do demographic factors matter?, 1120(A)

and research, 1124(A) outcomes, 1035(E)

Auditory brainstem responses, of children with developmental language disorders, 26

Autism, 659(E)

and attention deficits, tuberous sclerosis, 50 catecholaminergic metabolism and, 688 early recognition of, 937(abstr.)

epilepsy and ataxia, 15q11-13 duplication, 736

family history of affective disorder, 674

psychiatric family history, 441 thalidomide embryopathy, 351

BACH, T. M. et al.: Comparison of subjective and objective measures of movement performance in children with cerebral palsy, 974

see also JOHNSON, L. M.

BAEPs, in infants with myelomeningocele, and later development of Chiari II malformation-related brainstem dysfunction, 707

BAERTS, W. see WEISGLAS-KUPERUS, N.

Balance, in cerebral palsy, 377(E)

BARR, R. G. et al.: Effects of intra-oral sucrose on crying, mouthing and hand- mouth contact in newborn and six-week-old infants, 608

BARTLETT, D. and OKUN, N.: Breech presentation: a random event or an explainable phenomenon?, 833(A)

BATES, E. see DALL'OGLIO, A. M.

BAUDIN, J. see ROTH, S. C.

BAX. M.

Bladder and bowel, 1(E)

The difficulties of researching prevention, 471(E)

Autism, 659(E)

Are there outcomes to research and audit?, 1035(E)

and Brown, K.: Paediatric neurology and paediatric neurologists, 95(E)

BAXTER, P. et al.: Movement disorder after herpes simplex virus, 275(L)

BECKUNG, E. et al.: The effects of epilepsy surgery on the sensorimotor function of children, 893

Behavioural phenotypes, 467(A)

BENITEZ, J. see RONCAGLIOLO, M.

Bennett, M. J. et al.: Juvenile neuronal ceroid-lipofuscinosis: developmental progress after supplementation with polyunsaturated fatty acids, 630

BENNINGA, M. A. et al.: Treatment of faecal incontinence in a child with sacral agenesis: use of biofeedback training, 518

Biotinidase deficiency

early neurological presentation, 268 in Scotland, 748(L)

Birth asphyxia, and dyskinetic cerebral palsy, 285, 928(L), 929(L)

Birthweight, low

10-year outcome study of reproductive casuality, 1037

and hearing loss, 844(L)

waterbeds, effects on neuromotor development of VLBW infants, 989

see also Preterm infants

BIXLER, E. O. see MAYES, S. D.

BJORNSON, K. F. see McLaughlin, J. F.

BLACKMAN, J. A. see STEVENSON, R. D.

Bladder and bowel, 1(E)

BLAIR, E. see PALMER, L.

BLECK, E. E.: The sense of balance, 377(E)

Blindness see Visual impairment

BLONDIS, T. A. see ROIZEN, N. J.

BODENSTEINER, J. B. see SCHAEFER, G. B.

BOLL, V. see APPLETON, P. L.

BOOKS REVIEWED

AICARDI, J.: Epilepsy in Children, 2nd Edn, 930

ALDERSON, P.: Children's Consent to Surgery, 1030

BOCK, G. and MARSH, J. (Eds.): CIBA Foundation Symposium 181: Neural Tube Defects, 750:

BOOTH, D. A. (Ed.) Neurophysiology of Ingestion, 653

CASTELLS, S. and WISNIEWSKIE, K. E. (Eds.): Growth Hormone Treatment in Down's Syndrome, 280

COSTA, D. C. et al. (Eds.): New Trends in Nuclear Neurology and Psychiatry, 563

Cox, M.: Children's Drawings of the Human Figure, 654

CRATTY, B. J.: Clumsy Child Syndromes: Descriptions, Evaluation and Remediation, 1032

DAVID, T. J. (Ed.): Recent Advances in Paediatrics—Vol. 12, 654

FELDMAN, E. (Eds.): Current Diagnosis in Neurology, 1033

GASKILL, S. J. and MARLIN, A. E.: Handbook of Pediatric Neurology and Neurosurgery, 562

GRAF, P. and MASSON, M. (Eds.): Implicit Memory: New Directions in Cognition, Development and Neuropsychology, 751

HARRINGTON, R.: Depressive Disorder in Childhood and Adolescence, 279

HOARE, P.: Essential Child Psychiatry, 1028 HOBBS. C. J. et al.: Child Abuse and Neglect:

a Clinician's Handbook, 931
MEADOW, R. (Ed.): ABC of Child Abuse, 1029

POLLAK, M.: Textbook of Developmental Paediatrics, 751

POLLITT, E. et al.: Early Supplementary Feeding and Cognition, 563

RAPIN, I. and SEGALOWITZ, S. J. (Eds.): Handbook of Neurophysiology, Vol. 7, Section 10: Child Neurophysiology (Part 2), 932

Sussman, M. D. (Ed.): The Diplegic Child: Evaluation and Management, 280

THOMPSON, T. and GRAY, B. D. (Eds.):

Destructive Behaviour in Developmental

Disabilities: Diagnosis and Treatment,
1031

Weinstein, S. L. (Ed.): The Pediatric Spine: Principles and Practice (Vols. 1 and 2), 931

WETTERBERG, L. (Ed.): Light and Biological Rhythms in Man, 1031

Woodrich, D. L. et al.: Attention Deficit Hyperactivity Disorder, 562

WORLD HEALTH ORGANIZATION: Health of Young People: a Challenge and a Promise, 1029

WORLD HEALTH ORGANIZATION: ICD-10 Classification of Mental and Behavioural Disorders: Diagnostic Criteria for Research, 933

BOOTH, E. see POPE, P. M.

BOOTH, F. A. see SESHIA, S. S.

BÖRJESON, M.-C. see LIE, H. R.

Bos, A. F. see HADDERS-ALGRA, M.

Botulinum toxin A

management of lower limb in cerebral palsy, 386

prevention of development of contractures, hereditary spastic mouse, 379

BOUZA, H. et al.: Late magnetic resonance imaging and clinical findings in neonates with unilateral lesions on cranial ultrasound. 951

Bowel function, 1(E)

retraining after long-standing constipation and faecal impaction, people with learning disabilities, 41

Bower, E. and McLellan, D. L.: Assessing motor-skill acquisition in four centres for the treatment of children with cerebral palsy, 902

BOWES, C. E. see POPE, P. M.

BOYKO, O. B. see WORLEY, G.

BRADLEY, L. see CORNELISSEN, P.

BRAGA, L. W. see CAMPOS DA PAZ, A., Jr

Brain damage

and early cognition, communication and language, 1076

early right or left, face recognition, 156

Brain development, prenatal stressors, 826

Brainstem dysfunction, Chiari II malformation-related, 707

Brandes, J. M. see Gershoni-Baruch, R.

BRAZELTON, B. see SEPKOSKI, C. M. Breech presentation, 833(A)

BRETT, E.: The disappearing 's and its sideeffects, 1026(L)

BRIAN, J. A. see BARR, R. G.

Brodsky, M. C. and Williams, J.: Neurodevelopmental implications of septal dysgenesis, 1127(L)

Bronchopulmonary dysplasia, and infantile chorea, 177

BROOKE, L. J. see SIPS, H. J. W. A.

BROTHERSTONE, R. see LIN, J.-P.

BROWN, J. K.

Have adult neurologists learned from paediatric neurologists?, 565(E)

and Bax, M.: Paediatric neurology and paediatric neurologists, 95(E)

see also FORFAR, J. O.; HAZLEWOOD, M. E.; LIN, J.-P.

BÜLLER, H. A. see BENNINGA, M. A.

BUNDEY, S. et al.: Duplication of the 15q11-13 region in a patient with autism, epilepsy and ataxia, 736

BURGESS, G. see BACH, T. M.

BURNETT, S. M. see CAMPOS DA PAZ, A. Jr

BURTON, P. see PALMER, L.

BYRNE, P. see DARRAH, J.

BYRT, T. A. see BACH, T. M.; JOHNSON, L. M.

CABROL, D. see AMIEL TISON, C.

CAMFIELD, C. see CAMFIELD, P.

CAMFIELD, P. et al.: What types of epilepsy are preceded by febrile seizures? A populationbased study of children, 887

CAMPOS DA PAZ, A. Jr et al.: Walking prognosis in cerebral palsy: a 22-year retrospective analysis, 130

Canavan disease, clinical-genetic correlation, 845(L)

CANOVAS, R. see GILBERT, C. E.

CAPUTE, A.: Changing role of child neurology, 843(L)

CARLSSON, G. et al.: Verbal and non-verbal function of children with right- versus left-

hemiplegic cerebral palsy of pre- or perinatal origin, 503

Catecholaminergic metabolism, and autism, 688

CATER, L. V. see STEVENSON, R. D.

CATSMAN-BERREVOETS, C. E. see SIPS, H. J. W. A.

Cerebral damage, neurological dysfunction and quality of movement, 727

Cerebral palsy

assessment of spasticity

distal lower-limb reflex excitability and function, 290

proximal lower-limb reflex excitability and function, 116

bilateral spastic, in south-west Germany and western Sweden, 473

botulinum toxin, management of lower limb, 386

clinical correlates of linear growth, 135

comparison of subjective and objective measures of movement performance, 974

dyskinetic, and birth asphyxia, 285, 928(L), 929(L)

family patterns of gestational age at delivery and growth *in utero*, 1108

feedback of tonic stretch reflex, 770

Friedreich's ataxia, and adolescent idiopathic scoliosis, 412

hemiplegic

distal lower-limb reflex excitability and function, 1000

therapeutic electrical stimulation, 661

hereditary spastic mouse, 379

hip adductors, extensibility of, 980

motor-skill acquisition, four centres, 902

right versus left hemiplegic, verbal/nonverbal function, 503

selective dorsal rhizotomy, 755

sense of balance, 377(E)

sensory deficits in the hands, 619

sleep abnormalities, 304

Spastics Society, name change, 941(E)

temporomandibular joint contracture in spastic quadriplegia, 487

terminology, 941(E)

walking ability, 787

walking prognosis, a 22-year retrospective analysis, 130

Cerebral visual impairment

lesions of the preterm infant brain, 849

and neonatal cranial ultrasound abnormalities, 3 Ceroid-lipofuscinosis, developmental progress after supplementation with polyunsaturated fatty acids, 630

CHAN, K. W. see CONNOLLY, M.

CHEN, Y.-J. and HSU, C.-C.: Effects of prenatal exposure to PCBs on the neurological function of children: a neuropsychological and neurophysiological study, 312

CHESLER, N. see CHRISTIANSON, A. L.

Chiari II malformation-related brainstem dysfunction, 707

Chorea, in infant with severe bronchopulmonary dysplasia, EMG study, 177

CHRISTEN, H. J. see KRUSE, B.

CHRISTIANSON, A. L. et al.: Fetal valproate syndrome: clinical and neurodevelopmental features in two sibling pairs, 361

Chromosomes

15q11-13 region, duplication, patient with autism, epilepsy and ataxia, 736

ring chr. 20 mosaicism, with complex partial seizures, 70

sex chromosome abnormalities, head circumference and IQ, 533

Clumsy children, physiotherapy for, evaluation, 143

CNS complications, human herpes virus 6, 651(L)

Cognitive development, infants of drugdependent mothers, 1063

Cognitive function

behavioural approach to retraining bowel function, 78

communication and language, focal brain injury, 1076

spelling and vision, 716

see also Language

COHEN, M. and ROESSMANN, U.: In utero brain damage: relationship of gestational age to pathological consequences, 263

COLE, J. S. see PEARSON, M. L.

COLLINS, J. E. et al.: Biotinidase deficiency: early neurological presentation, 268

Communication and language cognitive function, focal brain injury, 1076 see also Language

Compassion and the selfish gene, 283(E)

CONE, R. W. see JONES, C. M. V.

Congenital hemiparesis, and periventricular leukomalacia, pathogenetic aspects on magnetic resonance imaging, 943

Congenital peripheral neuropathy, apnoea, respiratory insufficiency, 547

CONNOLLY, K.: Darwin and disability, 847(E)

CONNOLLY, M. et al.: Cranial neuropathy, polyneuropathy and thrombocytopenia with Epstein-Barr virus infection, 1010

Constipation, behavioural approach to retraining bowel function, 78

COOKE, R. W. I. see WHITE, C. P.

CORBETT, J. A. see BUNDEY, S.

CORNELISSEN, P. et al.: What children see affects how they spell, 716

CORRY, I. S. see COSGROVE, A. P.

COSGROVE, A. P.

and Graham, H. K.: Botulinum toxin A prevents the development of contractures in the hereditary spastic mouse, 379

et al.: Botulinum toxin in the management of the lower limb in cerebral palsy, 386

COSTEFF, H. see ELPELEG, O. N.

Costeff syndrome, 3-methylglutaconic aciduria, 167

COURAGE, M. L. et al.: Visual acuity in infants and children with Down syndrome, 586

COUSINEAU, D. see BARR, R. G.

COWAN, F. see BOUZA, H.

COYLE, P. V. see HILL, A. E.

Cranial auscultation, intracranial vascular malformation, 544

Cranial neuropathy, polyneuropathy and thrombocytopenia, with Epstein-Barr virus infection, 1010

Cranial ultrasound

abnormalities, and cerebral visual impairment, 3

late MRI in neonates, 951

and magnetic resonance imaging, hypoxicischaemic encephalopathy, 813

CRAWFORD, C. L. and HOBBS, M. J.: Anatomy of diplegia: an hypothesis, 513

CRAWFORD, T. see TORRES, J. A.

CRITES, D. L. see MAYES, S. D.

Crying, mouthing and hand-mouth contact in newborn and six-week-old infants, 608

Crying pattern, Korean infants, related factors, 601

Cutaneous and proprioceptive sensation, evaluation, 796

CZOCHANSKA, J. et al.: Children who develop epilepsy in the first year of life: a prospective study, 344

DALL'OGLIO, A. M. et al.: Early cognition, communication and language in children

with focal brain injury, 1076

DALTON, N. see COLLINS, J. E.

DARRAH, J. et al.: The use of waterbeds for very low-birthweight infants: effects on neuromotor development, 989

Darwin and disability, 847(E)

DAVIES, J. M. and JENKINS, J. G.: Auditing neonatal intensive care: do demographic factors matter?, 1120(A)

Davies, P.: Speaking the same language, 189(E)

DE GRAAFF, B. M. T. see VAN BAAR, A.

DE NEGRI, M.: Electrical status in childhood: neurophysiological impairment and therapeutic management, 183(A)

DE SCHONEN, S. see MANCINI, J.

DE SWART, B. see WIT, J.

DE VRIES, L. S. see EKEN, P.; PIKE, M. G.

DELONG, R.

Children with autistic spectrum disorder and a family history of affective disorder, 674

and NOHRIA, C.: Psychiatric family history and neurological disease in autistic spectrum disorders, 441

DERUELLE, C. see MANCINI, J.

Development

behavioural intervention, for reluctance to ambulate, 625

children's, parents' and caregivers' perceptions of, 918

DI CAPUA, M. see DALL'OGLIO, A. M.

Diplegia, 513

Disability

and Darwin, 847(E)

World Health Organization terminology, 189(E)

DOOLEY, J. see CAMFIELD, P.

Down syndrome

infantile spasms, 576

ophthalmic disorders, 594

phenotype, environmental basis, 84(A)

visual acuity, 586

DREW, K. J. see PIKE, M. G.

Drooling, transdermal scopolamine for reduction of, in developmentally delayed children, 484

Drug-dependent mothers, infants of, cognitive development at preschool-age, 1063

DUBOWITZ, L. M. S. see BOUZA, H.; PIKE, M. G.; RUTHERFORD, M. A.

DULAC, O. see SCHLUMBERGER, E.

DUNN, H. G. see JONES, C. M. V.

Dysarthria, traumatic versus perinatally

acquired, assessment by means of speechlike maximum performance tasks, 221

Dyskinetic cerebral palsy, and birth asphyxia, 285, 928(L), 929(L)

Dysphagia, and risk factors for pneumonia, 495

Dystrophin gene, pre-implantation single-cell analyses of deletions using whole genome amplification, 936(abstr.)

Eating disorders

anorexia nervosa, health and neurodevelopment at 16 and 21 years, 567

EDITORIALS

Accessing the world, 753

Are there outcomes to research and audit?, 1035

Autism, 659

Bladder and bowel, 1

Children in the wider world: compassion and the selfish gene, 283

Darwin and disability, 847

Difficulty of researching prevention, 471

Have adult neurologists learned from paediatric neurologists?, 565

Paediatric neurology and neurologists, 95

Scope for change, 941

Sense of balance, 377

Speaking the same language, 189

EEG-OLOFSON, K. E. see Krägeloh-Mann, I. EINFELD, S.L. and HALL, W.: When is a

behavioural phenotype not a phenotype?, 467(A)

EKEN, P. et al.: Relation between neonatal cranial ultrasound abnormalities and cerebral visual impairment in infancy, 3

EKENBERG, L. and ERIKSON, A.: Physiotherapy for young people with movement disorders: factors influencing commencement and duration, 253

Electrical status in childhood, 183(A)

Electrical stimulation, hemiplegic cerebral palsy, 661

ELLEMUNTER, H. see TRAWÖGER, R.

ELLIOTT, C. E. see APPLETON, P. L.

ELLIS, N. C. see APPLETON, P. L.

ELPELEG, O. N.

Canavan disease, 845(L)

et al.: 3-methylglutaconic aciduria in the Iraqi-Jewish 'optic atrophy plus' (Costeff) syndrome, 167

Encephalopathy

acute, and status epilepticus, human herpes virus 6 infection, 646

hypoxic-ischaemic, magnetic resonance imaging and cranial ultrasound, 813

Epidural anaesthesia, maternal, effects on neonatal behaviour, 91(L), 375(L)

Epilepsy

15q11-13 duplication, 736

febrile seizures, population-based study, 887 in first year of life, a prospective study, 344

in hypothalamic hamartoma with skeletal malformations and precocious puberty, 173

melatonin in, 97

ring chromosome 20 mosaicism, with complex partial seizures, 70

and sleep disorder, tuberous sclerosis, 108 surgery, effects on sensorimotor function, 893

EPSTEIN, R. see GERSHONI-BARUCH, R.

Epstein-Barr virus infection, cranial neuropathy, polyneuropathy and thrombocytopenia, 1010

ERIKSON, A. see EKENBERG, L.

ERWIN, C. W. see WORLEY, G.

ESPEZEL, H. see GROENVELD, M.; JAN, J. E.

EVANS, D.I.K.: Does splenectomy predispose children to migraine?, 187(L)

EVERETT, Y. see LEWIS, D. W.

Eve-poking, 321

EYRE, J. A. see BAXTER, P.

Face recognition, children with early right or left brain damage, 156

Faecal impaction, behavioural approach to retraining bowel function, 78

Faecal incontinence, in sacral agenesis, use of biofeedback training, 518

FARRELL, K. see CONNOLLY, M.

Feeding, long-term associations, clinically advantaged population, 429

Fetal brain damage, gestational age, and pathological consequences, 263

Fetal brain development, prenatal stressors,

Fetal exposure, to PCBs, effects of, 312

Fetal stressors, and fetal brain development, 826

Fetal valproate syndrome, clinical and neurodevelopmental features, sibling pairs, 361

FETTER, W. P. F. see WEISGLAS-KUPERUS, N. FIELDER, A. R. see YOUNGSON-REILLY, S.

FINUCANE, B. M. et al.: Spasmodic upper-body squeeze: a characteristic behavior in Smith-Magenis syndrome, 78

FONTANA, C. see LEWIS, D. W.

FORFAR, J. O. et al.: Low birthweight: a 10year outcome study of reproductive casuality, 1037

FORGET, R. see THIBAULT, A.

FORSYTH, R. J. see BAXTER, P.

FOSTER, A. see GILBERT, C. E.

FOWLER, S. see CORNELISSEN, P.

FRAHM, J. see KRUSE, B.

FRANCHETTI, B. see SMITH, L. J.

FREEMAN, R. D. see JAN, J. E.

Friedreich's ataxia, cerebral palsy, and adolescent idiopathic scoliosis, 412

FURMAN, L. and MORTIMER, J. C.: Menarche and menstrual function in patients with myelomeningocele, 910

GABREELS, F. see WIT, J.

GARAIZAR, C. see PRATS, J. M.

GARDNER-MEDWIN, D.: Children in the wider world: compassion and the selfish gene, 283(E)

GASSNER, I. see TRAWÖGER, R.

GAYTON, A. R. see BENNETT, M. J.

GERSHONI-BARUCH, R et al.: Actigraphic home-monitoring of the sleep patterns of in vitro fertilization children and their matched controls, 639

Gestational age

and in utero brain damage, 263

in moderate and severe cerebral palsy, 1108

GIBBONS, V. P. see KOTAGAL, S.

GIBSON, K. M. see ELPELEG, O. N.

GILBERT, C. E. et al.: Causes of blindness and severe visual impairment in children in Chile, 326

GILLBERG, C.

et al.: Anorexia nervosa: physical health and neurodevelopment at 16 and 21 years, 567 see also GILLBERG, I. C.; STRÖMLAND, K.

GILLBERG, I. C.

et al.: Autistic behaviour and attention deficits in tuberous sclerosis: a population-based study, 50

see also Gillberg, C.

GOEPFERD, S. see PELEGANO, J. P.

GOH. H. see LALLI, J. S.

GOOD, W. V. see JAN, J. E.

GOODMAN, R.: Childhood hemiplegia: is the

side of the lesion influenced by a family history of left-handedness?, 406

GORDON, K. see CAMFIELD, P.

GORDON, N.

Hypomelanosis of Ito, 271(A)

Ophthalmoplegia in childhood, 370(A)

Vomiting, recurrent, neurological origin, 463(A)

and McKinlay, I.: Kleine-Levin syndrome, 560(L)

GOTTSCHALK, B. et al.: Subtle speech and motor deficits of children with congenital hypothyroid treated early, 216

GRAHAM, H. K. see COSGROVE, A. P.

GRIEBEL, M. L. see WORLEY, G.

GRODD, W. see NIEMANN, G.

GROENVELD, M. et al.: Septum pellucidum and spatial ability of children with optic nerve hypoplasia, 191

Growth, clinical correlates of linear growth, children with cerebral palsy, 135

GUÉRIN, P. see MARTINEAU, J.

HAAS, G. see KRÄGELOH-MANN, I.

HAAS-GIVLER, B. see FINUCANE, B. M. HADDERS-ALGRA, M.

et al.: Infantile chorea in an infant with severe bronchopulmonary dysplasia: an EMG study, 177

see also SOORANI-LUNSING, R. J.

HAGBERG, B. see KRÄGELOH-MANN, I.

HAGELSTEEN, J. H. see LIE, H. R.

HALL, W. see EINFELD, S.L. and HALL, W.

HAMEURY, L. see MARTINEAU, J.

Handedness, family history, hemiplegia, 406 Hands, cerebral palsy, sensory deficits,

assessment and prevalence, 619

HANEFELD, F. see KRUSE, B.

HÄNICKE, W. see KRUSE, B.

HANSON, D. see LOU, H. C.

HARA, T. see MATSUO, M.

HARDING, C. R. see KALEN, V.

HARDY, C. see BUNDEY, S.

HAREL, S. see NEVO, Y.

HARRIS, S. R.: Parents' and caregivers' perceptions of their children's development, 918

HAYES, R. P. see STEVENSON, R. D.

HAYS, R. M. see McLaughlin, J. F.

HAZLEWOOD, M. E. et al.: Use of therapeutic electrical stimulation in the treatment of hemiplegic cerebral palsy, 661 Head circumference, and IQ, in sex chromosome abnormalities, 533

Headache

International Headache Society criteria and childhood headache, 419

and splenectomy, 187(L)

Hearing loss

ataxia, and retinitis pigmentosa, and variant hypobetalipoproteinaemia, 1015

low-birthweight children, 844(L)

HEDSTROM, A. see BECKUNG, E.

HEIER, L. see NASS, R.

Height, clinical correlates of linear growth, children with cerebral palsy, 135

HELLIWELL, T. see APPLETON, R.

Hemimegalencephaly, magnetic resonance imaging following hemispherectomy, 357

Hemiplegia, family history of left-handedness, 406

Hemiplegic cerebral palsy, therapeutic electrical stimulation, 661

HEMMINGSEN, R. see LOU, H. C.

HEMPEL, M. S. see WEISGLAS-KUPERUS, N.

HÉRAULT, J. see MARTINEAU, J.

Herpes simplex virus encephalitis, movement disorder after, 275(L)

Herpes virus 6

acute encephalopathy and status epilepticus,

CNS complications, 651(L)

HERRGARD, E. and KARJALAINEN, S.: On reporting hearing loss in follow-up studies of low-birthweight children, 844(L)

HEWSON, A.: Scope for change, 941(E)

HICKS, E. M. see HILL, A. E.

HIJIKEMA, M. G. J. see SCHOEMAKER, M. M.

HILL, A. E. et al.: Human herpes virus 6 and central nervous system complications, 651(L)

HOBBS, M. J. see CRAWFORD, C. L.

HODES, D. T. et al.: Evaluation of the Sonksen Picture Test for detection of minor visual problems in the surveillance of preschool children, 16

HOFFINGER, S. C. see McLaughlin, J. F.

HOLMSTROM, G. see PIKE, M. G.

HOLOPAINEN, I. et al.: Ring chromosome 20 mosaicism in a girl with complex partial seizures, 70

HOLZBACH, U. see KRUSE, B.

Homosexuality, and adolescence, 934 (abstr.)

HORSTMANN, H.: Accessing the world, 753(E)

HOSKING, G. P. see BENNETT, M. J.

HSU, C.-C. see CHEN, Y.-J.

HUGDAHL, K. see CARLSSON, G.

HUISJES, H. J. see SOORANI-LUNSING, R. J.

Human herpes virus 6 infection, 651(L)

acute encephalopathy and status epilepticus,

HUME, R. see FORFAR, J. O.

HUMPHREY, F. J. II see MAYES, S. D.

HUNT, A. and STORES, G.: Sleep disorder and epilepsy in children with tuberous sclerosis: a questionnaire-based study, 108

Hydromyelia, and myelomeningocele, pneumocephalus in, 924

Hyperbilirubinaemia, neonatal, and long-term outcome, 936(abstr.)

Hypercholesterolaemia, familial, successful *ex vivo* gene therapy to liver, 938(abstr.)

Hypobetalipoproteinaemia, associated with ataxia, hearing loss and retinitis pigmentosa, 1015

Hypomelanosis of Ito, 271(A)

Hypothalamic hamartoma, with skeletal malformations, gelastic epilepsy and precocious puberty, 173

Hypothyroidism, speech and motor deficits of children treated early, 216

Infantile spasms, children with Down syndrome, 576

Intensive care, audit of, 1120(A)

International Headache Society criteria, and childhood headache, 419

Intracranial vascular malformation, and cranial auscultation, 544

Iraqi-Jewish 'optic atrophy plus' (Costeff) syndrome, 3-methylglutaconic aciduria, 167

IVF children, and matched controls, sleep patterns, actigraphic home-monitoring, 639

JAN, J. E.

et al.: Eye-poking, 321

et al.: The treatment of seizure disorders with melatonin, 97

see also GROENVELD, M.

JARIWALA, M. see YEKUTIEL, M.

JARVIS, W. R. see PEARSON, M. L.

JENKINS, J. G. see DAVIES, J. M.

JENSEN, F. see LOU, H. C.

JOHNSON, L. M.

et al.: Development of a clinical assessment of quality of movement for unilateral

upper-limb function, 965 see also BACH, T. M.

JONES, C. M. V. et al.: Acute encephalopathy and status epilepticus associated with human herpes virus 6 infection, 646

JONES, P. see APPLETON, P. L.

JOSEPH, A. see ELPELEG, O. N.

JUNKER, A. K. see CONNOLLY, M.

JURGENSON, U. see NEVO, Y.

KALEN, V. and HARDING, C. R.: Skeletal maturity in myelodysplasia, 528

KALVERBOER, A. F. see SCHOEMAKER, M. M.

KHOURI, N. see LESPARGOT, A.

KILPATRICK, M. W. see BUNDEY, S.

KIM, T. S. see TORRES, J. A.

KINOSHITA, M. see MATSUO, M.

KIRK, J. see MINNS, R. A.

Kleine-Levin syndrome, 560(L)

KOKSCH DE CANOVAS, R. K. see GILBERT, C. E.

KONAR, D. see FINUCANE, B. M.

KONKOL, R. J. see STAFSTROM, C. E.

Korean infants, crying in, 601

KOTAGAL, S. et al.: Sleep abnormalities in patients with severe cerebral palsy, 304

Kracke, I.: Developmental prosopagnosia in Asperger syndrome: presentation and discussion of an individual case, 873

KRÄGELOH-MANN, I.

et al.: Bilateral spastic cerebral palsy—a comparative study between south-west Germany and western Sweden. II: Epidemiology, 473

et al.: Proton spectroscopy in patients with Leigh's disease and mitochondrial enyzme deficiency, 841(L)

see also NIEMANN, G; KRUSE, B.

KROMBERG, J. G. R. see CHRISTIANSON, A. L.

KRUSE, B. et al.: Proton spectroscopy in patients with Leigh's disease and mitochondrial enzyme deficiency, 839(L)

KUNCL, R. W. see TORRES, J. A.

Kuno, T. see Matsuo, M.

KURTZ, M. B. see FINUCANE, B. M.

KWA, P.-G. see COURAGE, M. L.

LABELLE, H. B. see Aronsson, D. D. LAGERGREN, J. see LIE, H. R.

LAGERKVIST, B. see LIE, H. R.

LAKKALA, T. see HOLOPAINEN, I.

LALLI, J. S. et al.: Successful behavioral

intervention to treat children who are reluctant to ambulate, 625

LAMBERT, J. see THIBAULT, A.

LANGNER-TYSZKA, B. see CZOCHANSKA, J.

Language

cognitive function, focal brain injury, 1076

developmental disorders

auditory brainstem responses, 26

severe visual impairment, 230

temporomandibular joint contracture in spastic quadriplegia, 487

see also Cognitive function

Latex allergy, and myelodysplasia, 64

LAVIE, P. see GERSHONI-BARUCH, R.

LEE, K.: Crying pattern of Korean infants and related factors, 601

Left-handedness, and hemiplegia, 406

Leigh's disease, and mitochondrial enzyme deficiency, proton spectroscopy, 839(L), 841(L)

LELORD, G. see MARTINEAU, J.

LEONARD, J. V. see COLLINS, J. E.

LESPARGOT, A. et al.: Extensibility of hip adductors in children with cerebral palsy, 980

LESTER, B. M. see SEPKOSKI, M.

Leukomalacia, periventricular, in congenital hemiparesis, MRI, 943

LEWANDOWSKI, L. see GOTTSCHALK, B.

Lewis, D. W. et al.: Transdermal scopolamine for reduction of drooling in developmentally delayed children, 484

LIE, H. R. et al.: Children with myelomeningocele: the impact of disability on family dynamics and social conditions. A Nordic study, 1000

LIN, J.-P.

et al.: Assessment of spasticity in hemiplegic cerebral palsy

I: Proximal lower limb reflex excitability, 116

II: Distal lower-limb reflex excitability and function, 290

see also FORFAR, J. O.

Lipofuscinosis, developmental progress after supplementation with polyunsaturated fatty acids. 630

'Lorenzo's oil', trial of as treatment for adrenomyeloneuropathy, 658(abstr.)

LOSIOWSKI, Z. see CZOCHANSKA, J.

Lou, H. C. et al.: Prenatal stressors of human life affect fetal brain development, 826

Lumbosacral agenesis/myelomeningocele,

animal model, 698

MAASSEN, B. see WIT, J.

MACKENZIE, J. see APPLETON, R.

MADOZ, P. see PRATS, J. M.

MAEDA, Y. see MATSUO, M.

Magnetic resonance imaging

and cranial ultrasound, in hypoxicischaemic encephalopathy, 813

late, clinical findings, neonates with unilateral lesions on cranial ultrasound, 951

neuropathological findings in hemimegalencephaly, following hemispherectomy, 357

periventricular leukomalacia, 943

MALLET, J. see MARTINEAU, J.

Mapping, cloning and genetic characterisation of region containing Wilson disease gene, 657(abstr.)

MANCINI, J. et al.: Face recognition in children with early right or left brain damage, 156

MANDICH, M. et al.: Reflex maturation and motor development of preterm, at-risk infants, 397

MARCOUX, S. see TRAHAN, J.

MARTUN, A. see HADDERS-ALGRA, M.

MARTINEAU, J. et al.: Catecholaminergic metabolism and autism, 688

MASERA, N. see RATCLIFFE, S. G.

MASSOULIER, A. see MANCINI, J.

Maternal epidural anaesthesia, and neonatal behaviour, 91(L), 375(L)

MATSUO, M. et al.: A variant form of hypobetalipoproteinaemia associated with ataxia, hearing loss and retinitis pigmentosa. 1015

MATTISON, R. E. see MAYES, S. D.

MAUK, J. E. see LALLI, J. S.

MAXWELL, S. M. see FORFAR, J. O.

MAYES, S. D. et al.: Methylphenidate and ADHD: influence of age, IQ and neurodevelopmental status, 1099

McConachie, H. R. and Moore, V.: Early expressive language of severely visually impaired children, 230

McCoull, K. see Smith, L. J.

McKee, M. see Hodes, D.T.

MCKIE, M. see RATCLIFFE, S. G.

McKinlay, I. see Gordon, N.McLaughlin, J. F. et al.: The role of selective dorsal rhizotomy in cerebral palsy: critical evaluation of a prospective clinical series, 755

McLellan, D. L. see Bower, E.

MCPHAIL, F. M. see FORFAR, J. O.

MEHALLICK, L. K. see LEWIS, D. W.

MEISNER, C. see KRÄGELOH-MANN, I.

Melatonin, in treatment of seizure disorders, 97

Menarche and menstrual function, patients with myelomeningocele, 910

MERBOLDT, K. D. see KRUSE, B.

MERLINO, J. see LALLI, S.

3-methylglutaconic aciduria, Iraqi-Jewish 'optic atrophy plus' (Costeff) syndrome, 167

Methylphenidate, and ADHD, age, IQ and neurodevelopmental status, 1099

METS, M. B. see ROIZEN, N. J.

MICHAELIS, R. see KRÄGELOH-MANN, I.; NIEMANN, G.

Migraine, and splenectomy, 187(L)

MILLER, G.: Dyskinetic cerebral palsy and birth asphyxia, 928(L)

MILLER, M. see STRÖMLAND, K.

MINCHOM, P. E. see APPLETON, P. L.

MINNS, R. A.

and Kirk, J.: Biotinidase deficiency in Scotland, 748(L)

et al.: Hypothalamic hamartoma with skeletal malformations, gelastic epilepsy and precocious puberty, 173

Mitochondrial enzyme deficiency, and Leigh's disease, proton spectroscopy, 839(L), 841(L)

MIYAZAKI, S. see MATSUO, M.

Möbius syndrome, alternatives in affective communication, 459

MOORE, V. see McConachie, H. R.

MORTIMER, J. C. see FURMAN, L.

Motor skills, acquisition in children with cerebral palsy, in four centres, 902

Movement disorders

children with congenital hypothyroid treated early, 216

herpes simplex virus encephalitis, 275(L)

neurological dysfunction, neonatal cerebral damage, 727

physiotherapy, factors influencing commencement and duration, 253

MOYER, R. S. see TANIGUCHI, M. H.

Müh, J.-P. see Martineau, J.

MULDER, P. G. H. see WEISGLAS-KUPERUS, N.

MULLETT, M. see MANDICH, M.

MUTCH, L. and STONE, D.: From research to audit—a bridge too far?, 1124

Myelodysplasia

and latex allergy, 64

skeletal maturity, 528

Myelomeningocele

and hydromyelia, pneumocephalus, 924 impact of disability on family dynamics and social conditions, Nordic study, 1000

later development of Chiari II malformation related brainstem dysfunction, 707 and lumbosacral agenesis, animal model, 697

menarche and menstrual function in, 910

Nägele, T. see Krägeloh-Mann, I.

NASH, J. see O'DWYER, N.

NASS, R. et al.: Acquired stuttering after a second stroke in a two-year-old child, 73

NEILSON, P. see O'DWYER, N.

Neonatal behaviour, effect of maternal epidural anaesthesia, 91(L), 375(L)

Neonatal cerebral damage, quality of movement, 727

Neonatal cranial ultrasound abnormalities, and cerebral visual impairment, 3

Neonatal hyperbilirubinaemia, long-term outcome, Collaborative Perinatal Project, 936(abstr.)

Neonatal intensive care, audit of, 1120(A)

Nerve growth cones, turning of, induced by neurotransmitters, 935(abstr.)

Neurobehavioural relationships, after onset of puberty, 334

Neurological dysfunction

prenatal exposure to PCBs, 312

quality of movement, neonatal cerebral damage, 727

Neurologists

and paediatric neurologists, 565(E)

and paediatric neurology, 56, 95(E), 565(E)

Neurology, changing role of, 843(L)

Neuromotor development, VLBW infants, waterbeds, 989

Neurotrophic factor, mice lacking develop with sensory deficits, 935(abstr.)

NEVO, Y. et al.: Cranial auscultation in two children with intracranial vascular malformation, 544

NICHOLSON, N. S. see COLLINS, J. E.

NIEMANN, G. et al.: Congenital hemiparesis and periventricular leukomalacia: pathogenetic aspects on magnetic resonance imaging, 943
Nim, J. see Lou, H. C.
Nohria, C. see DeLong, R.
Nomura, S. see Matsuo, M.
Nordentoft, M. see Lou, H. C.
Nordin, V. see Strömland, K.
Nowysz, S. see Pelegano, J. P.

OAKES, W. J. see WORLEY, G.
OBERLANDER, T. F. see BARR, R. G.
O'DWYER, N. et al.: Reduction of spasticity in cerebral palsy using feedback of the tonic stretch reflex: a controlled study, 770
OKE, L. E. see JOHNSON, L. M.

OKUN, N. see BARTLETT, D. and OKUN, N. Oleic and erucic acids ('Lorenzo's oil'), as treatment for adrenoymyeloneuropathy, 658(abstr.)

Ophthalmic disorders, children with Down syndrome, 594

Ophthalmoplegia in childhood, 370(A)
'Optic atrophy plus' (Costeff) syndrome, 167
Optic nerve hypoplasia, spatial ability, and septum pellucidum, 191

Paediatric neurology changing role of, 843(L) and neurologists, 56, 95(E), 565(E)

PALMER, L. et al.: Family patterns of gestational age at delivery and growth in utero in moderate and severe cerebral palsy, 1108

PAN, H. see RATCLIFFE, S. G. PANETH, N. see REUSS, M. L.

Parents' and caregivers' perceptions of children's development, 918

PARK, Y. see WORLEY, G. PATTISON, D. see SMITH, L. J.

PCBs, prenatal exposure, effects on neurological function, 312

PEARSON, M. L. et al.: How common is latex allergy? A survey of children with myelodysplasia, 64

PELEGANO, J. P. et al.: Temporomandibular joint contracture in spastic quadriplegia. Effect on oral motor skills, 487

PENNOCK, J. M. see BOUZA, H.; PIKE, M. G.; RUTHERFORD, M. A.

PENTTINEN, M. see HOLOPAINEN, I.

PÉREZ, M. see RONCAGLIOLO, M.

Peripheral neuropathy, congenital, respiratory

insufficiency, 547

Periventricular leukomalacia, and congenital hemiparesis, pathogenetic aspects on magnetic resonance imaging, 943

PERROT, A. see MARTINEAU, J.

PETIT, E. see MARTINEAU, J.

PETTERSON, B. see PALMER, L.

PEZZANI-GOLDSMITH, M. see ROTH, S. C.

PEZZINI, G. see DALL'OGLIO, A. M.

Physiotherapy

clumsy children, evaluation of, 143

movement disorders, factors influencing commencement and duration, 253

PICKSTOCK, J. see SMITH, L. J.

PIKE, M. G. et al.: Patterns of visual impairment associated with lesions of the preterm infant brain, 849

PIPER, M. see DARRAH, J.

Placental hormones, preterm infants, 743(A)

Pneumocephalus, in newborn infant with myelomeningocele and hydromyelia, 924

Pneumonia, risk factors for in dysphagic children, 495

POHL, K. R. E. see GROENVELD, M.

POLLOCK, J. I.: Long-term associations with infant feeding in a clinically advantaged population of babies, 429

Pollutants, prenatal exposure, effects on neurological function, 312

Polyunsaturated fatty acids (PUFA), and neuronal ceroid-lipofuscinosis, 630

POPE, P. M. et al.: Postural control in sitting. The SAM system: evaluation of use over three years, 241

Postural control, in sitting, 241

POUNTNEY, M.: Report of the 47th Annual Meeting of the American Academy for Cerebral Palsy and Developmental Medicine, 1993, 277

PRATS, J. M. et al.: Are continuous spike—wave discharges during slow sleep an iatrogenic condition?, 1026(L)

PRECHTL, H. F. R. see HADDERS-ALGRA, M.

Prenatal see Fetal

Preterm infants

neurodevelopmental status of, at one and eight years, 1049

placental hormones, loss of, and neurodevelopmental disabilities in,743(A)

reflex maturation and motor development of, 397

visual impairment associated with brain lesions of, 849

see also Birthweight, low

Preventive medicine, research, 471(E)

Proprioceptive sensation, evaluation, 796

Prosopagnosia, in Asperger syndrome, 873

Proton spectroscopy, Leigh's disease and mitochondrial enzyme deficiency, 839(L), 841(L)

PRYDS, O. see LOU, H. C.

Puberty

neurobehavioural relationships after onset of,

precocious, 173

QUEK. V. S. H. see BARR. R. G.

RADTKE, R. A. see WORLEY, G.

RANDALL, M. J. see JOHNSON, L. M.

RASMUSSEN, F. see LIE, H. R.

RÅSTAM, M. see GILLBERG, C.

RATCLIFFE, S. G. et al.: Head circumference and IQ of children with sex chromosome abnormalities, 533

REDDIHOUGH, D. S. see BACH, T. M.; JOHNSON, L. M.

REGGIN, J. D. see SESHIA, S. S.

RENAUDIN, E. see LESPARGOT, A.

RENOWDEN, S. A. and SQUIER, M.: Unusual magnetic resonance and neuropathological findings in hemimegalencephaly: report of a case following hemispherectomy, 357

Research

and audit, 1124(A)

outcomes to, 1035(E)

preventive medicine, 471(E)

Retinitis pigmentosa, ataxia, and hearing loss, 1015

REUSS, M. L. et al.: Does the loss of placental hormones contribute to neurodevelopmental disabilities in preterm infants?, 743(A)

REYNO, S. see COURAGE, M. L.

REYNOLDS, E. O. R. see ROTH, S. C.

REYNOLDS, F. see AMIEL TISON, C.

RICHMAN, R. A. see GOTTSCHALK, B.

Right-hemisphere dysfunction, validity of two new computer tests, 57

Ring chromosome 20 mosaicism, with complex partial seizures, 70

RIORDAN, A. see APPLETON, R.

RITCHIE, S. see MANDICH, M.

RITTEY, C. D. C. see GAYTON, A. R.

ROBERT, M. see LESPARGOT, A.

ROBERTS, T. S. see McLaughlin, J. F.

ROESSMANN, U. see COHEN, M.

ROIZEN, N. J. et al.: Ophthalmic disorders in children with Down syndrome, 594

RONCAGLIOLO, M. et al.: Auditory brainstem responses of children with developmental language disorders, 26

RONCHETTI, P. J. see ARONSSON, D. D.

ROSENBLOOM, L.: Dyskinetic cerebral palsy and birth asphyxia, 285, 929(L)

ROTH, S. C. et al.: Relation between neurodevelopmental status of very preterm infants at one and eight years, 1049

Rowe, P.J. see HAZLEWOOD, M. E.

RUTHERFORD, M. A.

et al.: Cranial ultrasound and magnetic resonance imaging in hypoxic-ischaemic encephalopathy: a comparison with outcome, 813

see also Bouza, H.

RYDENHAG, B. see BECKUNG, E.

Sacral agenesis, faecal incontinence, use of biofeedback training, 518

SALTER, P. M. see HAZLEWOOD, M. E.

SAUER, P. J. J. see WEISGLAS-KUPERUS, N.

SAUVAGE, D. see MARTINEAU, J.

SCHAEFER, G. B. et al.: Subtle anomalies of the septum pellucidum and neurodevelopmental deficits, 554(A)

SCHELP, B. see KRÄGELOH-MANN, I.

SCHLUMBERGER, E. and DULAC, O.: A simple, effective and well tolerated treatment regime for West syndrome, 863

SCHMIDT, D. see MANDICH, M.

SCHMIDT-SIDOR, B. see CZOCHANSKA, J.

SCHOEMAKER, M. M. et al.: Physiotherapy for clumsy children: an evaluation study, 143

SCHRETER, B. see NASS, R.

SCHUSTER, J. M. see WORLEY, G.

Scoliosis, idiopathic, comparison of curve shapes, 412

Scope for change, 941(E)

Scopolamine, reduction of drooling in developmentally delayed children, 484

Scotland, biotinidase deficiency, 748(L)

SCOTT, C. I. see FINUCANE, B. M.

Seizures see Epilepsy

SELBMANN, H. K. see KRÄGELOH-MANN, I.

'Selfish gene', 283(E)

SELLER, M. J.: Risks in spina bifida, 1021 (A)

SEPKOSKI, C. M. et al.: Neonatal effects of

maternal epidurals, 375(L)

Septal dysgenesis, 1127(L)

Septum pellucidum

anomalies and deficits, 554(A)

and spatial ability, children with optic nerve hypoplasia, 191

SESHIA, S. S. et al.: International Headache Society criteria and childhood headache, 419

SHALU-DELFOS, N. E. see EKEN, P.

Shapiro, B. L.: The environmental basis of the Down syndrome phenotype, 84(A)

SHENTAL, Y. see ELPELEG, O. N.

SIMONS, C. J. R. see MANDICH, M.

SIPS, H. J. W. A. et al.: Measuring righthemisphere dysfunction in children: validity of two new computer tests, 57

Sitting, postural control in, the SAM system, 241

Skeletal maturity, in myelodysplasia, 528

Sleep disorder

and epilepsy, in tuberous sclerosis, 108 patients with severe cerebral palsy, 304

Sleep patterns

actigraphic home-monitoring of, in IVF children and matched controls, 639

slow, continuous spike-wave discharges, 1026(L)

SMITH, L. J. et al.: A behavioural approach to retraining bowel function after longstanding constipation and faecal impaction in people with learning disabilities, 41

Smith-Magenis syndrome, 78

Somatosensory evoked potentials, following posterior tibial nerve stimulation, later outcome. 34

SONKSEN, P. M. see HODES, D.T.; PIKE, M. G. Sonksen Picture Test, detection of minor visual problems, in preschool children, 16

SOORANI-LUNSING, R. J. et al.: Neurobehavioural relationships after the onset of puberty, 334

Spasticity see Cerebral palsy

Spatial ability, and septum pellucidum, children with optic nerve hypoplasia, 191

Speech and motor deficits, children with congenital hypothyroid treated early, 216 Spina bifida

risks in, 1021(A)

self-concept of young people with, 198

Splenectomy, and migraine, 187(L)

SPONSELLER, P. see TORRES, J. A.

SQUIER, M. see RENOWDEN, S. A.

STAFSTROM, C. E. and KONKOl, R. J.: Infantile spasms in children with Down syndrome, 576

Status epilepticus, human herpes virus 6 infection, 646

STEIN, J. see CORNELISSEN, P.

STEVENSON, R. D. et al.: Clinical correlates of linear growth in children with cerebral palsy, 135

STEWART, A. L. see ROTH, S. C.

STIRLING, H. F. see MINNS, R. A. M.

STITH, J. A. see KOTAGAL, S.

STOKES, I. A. F. see ARONSSON, D. D.

STONE, D. see MUTCH, L.

STORES, G. see HUNT, A.

STRASSER, K. see TRAWÖGER, R.

STRETCH, P. see YEKUTIEL, M.

Stroke, stuttering after, 73

STRÖMLAND, K. et al.: Autism in thalidomide embryopathy: a population study, 351

Stuttering, acquired, after a second stroke in a two-year-old, 73

Sucrose, effects on crying, mouthing and hand-mouth contact in newborn and sixweek-old infants, 608

SUSSER, M. see REUSS, M. L.

Swallowing, evaluation in dysphagia, 495

SZAJNBERG, N. M.: Möbius syndrome: alternatives in affective communication, 459

TAMINIAU, J. A. J. M. see BENNINGA, M. A.

TANIGUCHI, M. H. and MOYER, R. S.: Assessment of risk factors for pneumonia in dysphagic children. Significance of videofluoroscopic swallowing evaluation, 495

Tc/tw⁵ mice, animal model of lumbosacral agenesis/myelomeningocele, 698

TEDMAN, B. see APPLETON, R.

Temporomandibular joint, contracture of in spastic quadriplegia, 487

Terminology

scope for change, 941(E)

World Health Organization, 189(E)

Thalidomide embryopathy, autism in, 351

THIBAULT, A. et al.: Evaluation of cutaneous and proprioceptive sensation in children: a reliability study, 796

THOMAS, E. E. see JONES, C. M. V.

THOMPSON, J. N. see SCHAEFER, G. B.

THOONEN, G. see WIT, J.

TOBIN, M. J. see YOUNGSON-REILLY, S.

TORRES, J. A. et al.: Radiographic and histological characterization of tc/tw⁵ mice: an animal model of lumbosacral agenesis/myelomeningocele. 698

TOUWEN, B. C. L. see SOORANI-LUNSING, R. J.; WEISGLAS-KUPERUS, N.

TOWNSEND, J. see ROTH, S. C.

Trahan, J. and Marcoux, S.: Factors associated with the inability of children with cerebral palsy to walk at six years: a retrospective study, 787

TRAWÖGER, R. et al.: Spontaneous pneumocephalus in a newborn infant with myelomeningocele and hydromyelia, 924

Tuberous sclerosis autism and attention deficits, 50 sleep disorder and epilepsy, 108
TYTGAT, G. N. J. see BENNINGA, M. A.
TZISCHINSKY, O. see GERSHONI-BARUCH, R.

Upper-limb function, unilateral, development of clinical assessment of quality of movement, 965

 Upper-body squeeze, spasmodic, characteristic behaviour in Smith-Magenis syndrome, 78
 UVEBRANT, P. see BECKUNG, E.; CARLSSON, G.

Valproate syndrome, fetal, clinical and neurodevelopmental features, 361

VAN BAAR, A. and DE GRAAFF, B. M. T.: Cognitive development at preschool-age of infants of drug-dependent mothers, 1063

VAN DER GRAAF, Y. see EKEN, P.

VAN DER HOEVEN, C. W. P. see BENNINGA, M. A.

VAN DER WERFF, P. J. J. see SIPS, H. J. W. A. VAN NIEUWENHUIZEN, O. see EKEN, P.

Verbal/non-verbal function, right versus left hemiplegic cerebral palsy, of pre- or perinatal origin, 503

Very-low-birthweight infants, effects of waterbeds on neuromotor development of, 989

Viability, limit of, neonatal outcome of infants born at 22 to 25 weeks gestation, 657(abstr.)

VICKERS, S. see BUNDEY, S.

Videofluoroscopic swallowing evaluation in dysphagia, 495

Vision, and spelling, 716

Visual acuity, infants and children with Down

syndrome, 586

Visual impairment

and blindness, children in Chile, 326

cerebral

lesions of the preterm infant brain, 849 and neonatal cranial ultrasound abnormalities, 3

patterns of professional involvement with parents, 449

severe, and early expressive language, 230

Visual problems, evaluation of Sonksen Picture Test, surveillance of preschool children, 16

VOLTERRA, V. see DALL'OGLIO, A. M.

Vomiting, recurrent, neurological origin, 463(A)

VON WENDT, L. see CARLSSON, G.

WAKAT, J.-P. see NIEMANN, G.

Walking

behavioural intervention for reluctance to walk, 625

factors associated with inability to walk, in six-year-old children with cerebral palsy, 787

prognosis for, in cerebral palsy, 130

Waterbeds, and neuromotor development of VLBW infants, 989

WATT, M. J. see DARRAH, J.

WEBER, J. M. see JONES, C. M. V.

WEIDMAN, E. R. see WORLEY, G.

Weight see Birthweight, low

WEISGLAS-KUPERUS, N. et al.: Minor neurological dysfunction and quality of movement in relation to neonatal cerebral damage and subsequent development, 727

WEITZ, R. see ELPELEG, O. N.

West syndrome, 863

WHITE, C. P. and COOKE, R. W. I.: Somatosensory evoked potentials following posterior tibial nerve stimulation predict later outcome. 34

WHERS, O. B. see BENNINGA, M. A.

WIKLUND, L.-M. see CARLSSON, G.

WILICHOWSKI, E. see KRUSE, B.

WILKINSON, E. M. see FORFAR, J. O.

Wilson disease gene

copper transporting ATPase with homology to Menkes disease gene, 657 (abstr.)

mapping, cloning and genetic characterisation of region containing, 657(abstr.) putative copper binding P-type ATPase similar to Menkes gene, 657(abstr.)

WIT, J. et al.: Traumatic versus perinatally acquired dysarthria: assessment by means of speech-like maximum performance tasks, 221

WOLSTEIN, J. R. see SESHIA, S. S.

World Health Organization, terminology, 189(E)

WORLEY, G. et al.: BAEPs in infants with myelomeningocele and later development of Chiari II malformation-related brainstem dysfunction, 707

Wu, F. C. W. see Minns, R. A. M.

YAMAMOTO, K. see MATSUO, M.

YEKUTIEL, M. et al.: Sensory deficit in the hands of children with cerebral palsy: a new look at assessment and prevalence, 619

Young, S. N. see BARR, R. G.

YOUNGSON-REILLY, S. et al.: Patterns of professional involvement with parents of visually impaired children, 449

ZELNIK, N. and ELPELEG, O.N.: Canavan disease, 845(L)

ZUAZO, E. see PRATS, J. M.

EDITORIAL STAFF OF DMCN

Senior Editor: Dr M. C. O. Bax

Editors: Dr E. E. Bleck, Dr J. K. Brown, Prof. J. K. Connolly, Dr P. A. Davies

Managing Editor: Mr M. Pountney

Sub-editor: Ms N.D. Highmore

EDITORIAL BOARD, 1994

Chairman: Prof. R. Mitchell; Vice-Chairman: Dr. D. Gardner-Medwin

Prof. M. Adinolfi	Dr A. Healy	Dr K. B. Nelson
Dr Jean Aicardi	Dr S. V. Hodgson	Prof. A. R. Nicol
Dr J. V. Banta	Prof. S. Hollins	Dr M. F. Robards
Dr C. F. Barlow	Dr S. M. Jenkins	Dr L. Rosenbloom
Dr D. V. M. Bishop	Dr P. H. Lipkin	Mr D. Scrutton
Prof. P. Evrard	Dr I. A. McKinlay	Dr C. M. Verity
Dr S. H. Green	Dr J. F. McLaughlin	Ms B. Warr
	Dr G E Molnar	



0012-1622(199412)36:12*;1-N

